



Procedure Information Sheet

Introduction

Botox / Juvederm are minimally invasive non-surgical procedure, with non long lasting effect.

Indication

- Wrinkle removal
- Slim face
- Hyperhidrosis
- Facial volume restoration
- Calf reduction
- Hemi-facial spasm
- Blepharospasm

Before the Operation / Procedure

1. A written consent is required.
2. This procedure must be performed by doctor.
3. A local anesthetic may be used.
4. Multiple treatments may be required and results may be variable.
5. There is no guarantee in the degree of the improvement of this procedure.
6. Photos will be taken before and after treatment to monitor progress.

After the Operation / Procedure

Injection site may temporary redness, itching or bruise. Application of ice pad will relieve the discomfort. Redness will disappear in a few hours.

Risk and Complication

1. Treated area may:
 - 1.1 Botox: Bruising, overcorrection, undercorrection, asymmetry, eyelid ptosis, eye-brow ptosis.
 - 1.2 Juvederm: Bruising, overcorrection, undercorrection, asymmetry, lumping, allergy reactions, infection (bacterial,viral,fungal).
 - 1.3 Juvederm: Skin necrosis, blindness, stroke can occur.
2. Some scarring or skin textural changes may be formed due to various skin types.

Disclaimer

This leaflet only provides general information pertaining to this operation / procedure. While common risks and complications are described, the list is not exhaustive, and the degree of risk could also vary between patients. Please contact your doctor for detailed information and specific enquiry.

Reference

Allergan Inc, MEDICATION GUIDE BOTOX® Cosmetic (Boe-tox) (onabotulinumtoxinA) for Injection (1/2016)

Patient's Signature: _____ Date: _____

Patient's Label Patient Name: _____ Hospital No: _____ Episode No: _____
--