



How to use your medicine



Eye Drops



香港浸信會醫院
Hong Kong Baptist Hospital

- (1) Wash hands and then gently clean the eyelids.



- (2) Lean the head backward and direct your gaze upwards.



- (3) Use your forefinger gently pull down the

eyelid of the eye that is to be treated. Place the tip close to the eye and squeeze gently, so that one drop falls into the eye.



- (4) Close your eyes, and move the eyeball from side to side. Remove any discharges of the eye by gauze or tissue.



(5) Use your finger to press the nose to hold the eye drops inside the eye.



(6) Replace the cap immediately after

use and store in a proper place.



Attentions :

- (I) Discard after 4 weeks of opening.**
- (II) Do not share the eye drops with anyone else.**
- (III) Complete the whole course, or follow your doctor's advise.**

If another eye drop is being used together, it

should be administered at least 5-10 minutes later.

藥物指引只供參考之用。

用藥應按照醫生指示。

如有疑問請向主診醫生或藥房職員查詢。

藥物查詢熱線: 23398964

The above information is for reference only .

If you have any problems, please consult your doctor or our pharmacy

Drug enquiry hotline: 23398964

香港浸信會醫院網址: www.hkbh.org.hk

HK Baptist Hospital website: www.hkbh.org.hk

05/2009