



医疗程序须知

简介

肉毒杆菌 / 组织填充剂注射是非手术性的美型轮廓治疗，效果非永久性的。

适应症

- 改善面部皱纹
- 嚼肌缩小
- 腋下及手部多汗症
- 塑造丰盈的面部
- 改善小腿线条
- 颈阔肌纹

手术 / 程序前须知

1. 可能需要局部麻醉。
2. 可能需要多次治疗，而且未必能全部清除。
3. 改善程度并无任何保证，治疗反应因人而异。
4. 治疗均存在复发机会。
5. 治疗前后均需拍照记录，以作治疗进度之参考。

手术 / 程序后须知

1. 注射部位会出现疼痛、瘀伤、肿胀乃属常见现象。
2. 治疗后可恢复使用护肤产品和化妆品。

风险及并发症

1. 一般风险：泛红、肿胀、瘀伤、感染、过度矫正、矫正不足、不对称效果、过敏反应。
2. 肉毒杆菌注射风险：感冒症状、眩晕、头痛、肌肉无力、复视、眼皮下垂、眉弓下垂、眼干。肉毒杆菌在多次重复使用后效果会减弱。
3. 组织填充剂注射风险：皮肤结块、皮肤坏死、失明。

免责声明

本单张只提供有关手术 / 程序的基本资料，并列出现常见的风险或并发症；可能发生的风险或并发症不能尽录，亦可因人而异。如需详细资料或个别查询，请联络你的医生。

参考资料

1. M Kassir. Complications of botulinum toxin and fillers: A narrative review. J Cosmet Derm 2020. 19(3):570-573
2. M Signorini et al. Global Aesthetics Consensus: Avoidance and Management of Complications from Hyaluronic Acid Fillers-Evidence- and Opinion-Based Review and Consensus Recommendations. Plast Reconstr Surg 2016. 137(6):961e-971e
3. H Sundaram et al. Global Aesthetics Consensus: Botulinum Toxin Type A--Evidence-Based Review, Emerging Concepts, and Consensus Recommendations for Aesthetic Use, Including Updates on Complications. Plast Reconstr Surg 2016. 137(3):518e-529e

病人签署： _____ 签署日期： _____

Patient's Label Patient Name: _____ Hospital No: _____ Episode No: _____
--